

Falken Tyre Europe GmbH
Berliner Straße 74 - 76
63065 Offenbach, Germany

05.01.2011

Dear Sirs,

herewith we confirm, that our "FALKEN" tyres are permitted for the following rim sizes.

<u>Tyre Size</u>	(corresponding) <u>Load Index</u>	<u>Speed</u> <u>Symbol</u>	<u>Pattern</u>	<u>Rims Sizes</u>	<u>Rolling</u> <u>Circumference(mm)</u>
XL 215/35R16	81	V	ZE912	7,0J - 9,0J	1700
XL 215/35R17	83	V	ZE912	7,0J - 9,0J	1780
245/35R17	87	W	ZE912	8,0J - 10,0J	1855
XL 215/35ZR18	84	W	ZE912	7,0J - 9,0J	1860
XL 255/35ZR18	94	W	ZE912	8,5J - 10,5J	1950
XL 265/35ZR18	97	W	ZE912	9,0J- 11,0J	1965
XL 195/40R16	80	V	ZE912	6,5J - 8,0J	1720
XL 205/40R16	83	H	ZE912	7,0J - 8,5J	1740
XL 215/40R16	86	W	ZE912	7,0J - 9,0J	1765
225/40R16	85	W	ZE912	7,5J- 9,5J	1795
XL 195/40R17	81	W	ZE912	6,5J - 8,0J	1810
XL 205/40ZR17	84	W	ZE912	7,0J- 8,5J	1815
XL 215/40ZR17	87	W	ZE912	7,0J - 9,0J	1855
245/40ZR17	91	W	ZE912	8,0J - 10,0J	1920
255/40ZR17	94	W	ZE912	8,5J - 10,5J	1940
XL 215/40ZR18	89	W	ZE912	7,0J - 9,0J	1925
XL 225/40ZR18	92	W	ZE912	7,5J - 9,5J	1950
XL 235/40ZR18	95	W	ZE912	8,0J - 10,0J	1975
XL 245/40ZR18	97	W	ZE912	8,0J - 10,0J	2005
195/45R14	77	V	ZE912	6,0J - 8,0J	1630
195/45R15	78	V	ZE912	6,0J - 8,0J	1705
XL 195/45R16	84	V	ZE912	6,0J - 8,0J	1785
XL 205/45R16	87	V	ZE912	6,5J - 8,0J	1810
XL 205/45ZR17	88	W	ZE912	6,5J - 8,0J	1890
XL 215/45ZR17	91	W	ZE912	7,0J - 8,5J	1920
XL 225/45ZR17	94	W	ZE912	7,0J - 9,0J	1945
235/45ZR17	94	W	ZE912	7,5J - 9,5J	1975
245/45ZR17	95	W	ZE912	7,5J - 9,5J	2005
225/45ZR18	91	W	ZE912	7,0J - 9,0J	2025
XL 245/45ZR18	100	W	ZE912	7,5J - 9,5J	2070

With kind regards

Falken Tyre Europe GmbH


T. Ishida Managing Director
Falken Tyre Europe GmbH
Berliner Straße 74 - 76
63065 Offenbach am Main
GERMANY

Ref. 35/40/45-ZE912

Falken Tyre Europe GmbH
Berliner Straße 74 - 76
63065 Offenbach, Germany

05.01.2011

Dear Sirs,

herewith we confirm, that our "FALKEN" tyres are permitted for the following rim sizes.

<u>Tyre Size</u>	(corresponding) <u>Load Index</u>	Speed <u>Symbol</u>	<u>Pattern</u>	<u>Rims Sizes</u>	Rolling <u>Circumference(mm)</u>
195/50R15	82	H	ZE912	5,5J - 7,5J	1770
195/50R15	82	V	ZE912	5,5J - 7,5J	1770
205/50R15	86	V	ZE912	5,5J - 8,0J	1795
225/50R15	91	V	ZE912	6,0J - 8,5J	1860
195/50R16	84	V	ZE912	5,5J - 7,5J	1840
205/50R16	87	V	ZE912	5,5J - 8,0J	1875
XL 225/50R16	96	V	ZE912	6,0J - 8,5J	1930
XL 205/50ZR17	93	W	ZE912	5,5J - 8,0J	1950
215/50R17	91	V	ZE912	6,0J - 8,0J	1990
225/50R17	94	V	ZE912	6,0J - 8,5J	2030
235/50ZR17	96	W	ZE912	6,5J - 9,0J	2040
XL 235/50ZR18	101	W	ZE912	6,5J - 9,0J	2115
185/55R14	80	H	ZE912	5,0J - 7,0J	1715
185/55R15	82	V	ZE912	5,0J - 7,0J	1795
195/55R15	85	V	ZE912	5,5J - 7,5J	1820
205/55R15	88	V	ZE912	5,5J - 8,0J	1860
195/55R16	87	V	ZE912	5,5J - 7,5J	1905
205/55R16	91	V	ZE912	5,5J - 8,0J	1935
XL 215/55R16	97	V	ZE912	6,0J - 8,0J	1965
225/55R16	95	V	ZE912	6,0J - 8,5J	2000
215/55ZR17	94	W	ZE912	6,0J - 8,0J	2030
XL 225/55ZR17	101	W	ZE912	6,0J - 8,5J	2090
235/55ZR17	99	W	ZE912	6,5J - 9,0J	2100

With kind regards
Falken Tyre Europe GmbH


I Ishida Managing Director
Falken Tyre Europe GmbH
Berliner Strasse 74 - 76
63065 Offenbach am Main
GERMANY

Ref. 50/55-ZE912

Falken Tyre Europe GmbH
Berliner Straße 74 - 76
63065 Offenbach, Germany

05.01.2011

Dear Sirs,

herewith we confirm, that our "FALKEN" tyres are permitted for the following rim sizes.

<u>Tyre Size</u>	<u>(corresponding) Load Index</u>	<u>Speed Symbol</u>	<u>Pattern</u>	<u>Rims Sizes</u>	<u>Rolling Circumference(mm)</u>
165/60R12	71	H	ZE912	4,50 - 6,50 B	1540
175/60R13	77	H	ZE912	5,0J - 6,0J 5,00 - 6,00 B	1650
185/60R13	80	H	ZE912	5,0J - 7,0J 5,00 - 6,00 B	1685
205/60R13	86	H	ZE912	5,5J - 8,0J 5,50 - 6,00B	1755
165/60R14	75	H	ZE912	4,5J - 6,0J 5,00B	1700
175/60R14	79	H	ZE912	5,0J - 6,0J 5,00B	1735
185/60R14	82	H	ZE912	5,0J - 6,5J	1765
195/60R14	86	H	ZE912	5,5J - 7,0J	1805
205/60R14	88	H	ZE912	5,5J - 7,5J	1840
185/60R15	84	H	ZE912	5,0J - 7,0J	1840
195/60R15	88	V	ZE912	5,5J - 7,0J	1880
195/60R15	88	H	ZE912	5,5J - 7,0J	1880
205/60R15	91	V	ZE912	5,5J - 7,5J	1920
205/60R15	91	H	ZE912	5,5J - 7,5J	1920
215/60R15	94	H	ZE912	6,0J - 7,5J	1950
225/60R15	96	W	ZE912	6,0J - 8,0J	1990
205/60R16	92	V	ZE912	5,5J - 7,5J	1995
XL 215/60R16	99	H	ZE912	6,0J - 7,5J	2030
225/60R16	98	W	ZE912	6,0J - 8,0J	2065
235/60R16	100	W	ZE912	6,5J - 8,5J	2100

With kind regards

Falken Tyre Europe GmbH


I Ishida Managing Director
Falken Tyre Europe GmbH
Berliner Straße 74 - 76
63065 Offenbach am Main
GERMANY

Ref. 60-ZE912

Falken Tyre Europe GmbH
Berliner Straße 74 - 76
63065 Offenbach, Germany

05.01.2011

Dear Sirs,

herewith we confirm, that our "FALKEN" tyres are permitted for the following rim sizes.

<u>Tyre Size</u>	(corresponding) <u>Load Index</u>	<u>Speed Symbol</u>	<u>Pattern</u>	<u>Rims Sizes</u>	<u>Rolling Circumference(mm)</u>
175/65R14	82	H	ZE912	5,0J - 6,5J 5,00 - 5,50 B	1785
185/65R14	86	H	ZE912	5,0J - 7,0J	1820
195/65R14	89	H	ZE912	5,5J - 7,5J	1865
175/65R15	84	H	ZE912	5,0J - 6,5J	1835
185/65R15	88	H	ZE912	5,0J - 7,0J	1900
195/65R15	91	V	ZE912	5,5J - 7,5J	1940
195/65R15	91	H	ZE912	5,5J - 7,5J	1940
205/65R15	94	V	ZE912	5,5J - 8,0J	1975
205/65R15	94	H	ZE912	5,5J - 8,0J	1975
215/65R15	96	H	ZE912	6,0J - 8,0J	2020
215/65R16	98	H	ZE912	6,0J - 8,0J	2090
225/65R16	100	H	ZE912	6,0J - 8,5J	2092
235/65R16	103	H	ZE912	6,5J - 9,0J	2170
225/65R17	102	H	ZE912	6,0J - 8,5J	2180
235/65R18	106	H	ZE912	6,5J - 9,0J	2335

With kind regards

Falken Tyre Europe GmbH


I Ishida Managing Director
Falken Tyre Europe GmbH
Berliner Strasse 74 - 76
63065 Offenbach am Main
GERMANY

Ref. 65 - ZE912